




MICRO SERIES FUSION SPLICE PROTECTION SLEEVE

Splice Technologies' "Micro" series fusion splice protection sleeve is designed specifically for use in optical splitter/coupler or similar packages, with an after shrink diameter of **1.6mm**, while accommodating up to a **450um** diameter fiber. Stock lengths are 25 & 40mm, but also available in 15, 20, & 30mm. This product is constructed with an EVA meltable adhesive inner tube, a polyolefin heat shrink outer tube, and a stainless steel strength member. The tubes are clear to allow viewing of the fiber during and after splicing. This product has been proportionately downsized using the same core materials, formulations and manufacturing processes that are used in our "Standard" series product. The entire assembly is designed to ensure that all members maintain perfect alignment during shipping, handling and shrinking. We are proud to say that all of our products are made here in the **USA** and most sleeves are in stock ready for immediate delivery.

FEATURES

- RoHS & SVHC Compliant
- Outer tube meets SAE AMS-DTL-23053/5 Class 2
- Inner EVA meltable adhesive tube
- Full length strength member for total fiber support
- Close dimensional tolerances
- Open ended assembly minimizing possibility of air entrapment during shrinkage
- Operating Temperature Range -55°C to +110°C
- Packaged in 100 per bag



PART NUMBER KEY

FSS-RC15	15mm length
FSS-RC20	20mm length
FSS-RC25	25mm length
FSS-RC30	30mm length
FSS-RC40	40mm length

FOR ORDERS AND QUOTES

Phone: 1-631-924-8108
Fax: 1-631-924-8109
Email: sales@splicetechnologies.com
Website: www.splicetechnologies.com